

**CREDENTIALING AND RE-PRIVILEGING COMMITTEE
(CRC) APPLICATION FORM**

PHYSICIAN'S NAME : _____

DEPARTMENT : **SURGERY**

DIVISION (IF ANY) : **NEUROSURGERY**

SPECIALTY (IF ANY) : **NEUROSURGERY**

DATE APPLIED : _____

NOTE: At the time of a life-threatening clinical emergency, any practitioner may render whatever care he/she believes to be indicated regardless of the extent of his/her granted privileges, if expertise not available.

THE FOLLOWING LIST OF PROCEDURES IS GRANTED BY THE CRC COMMITTEE AS PART OF YOUR DUTIES AS MEMBER OF THE MEDICAL STAFF OF TAWAM HOSPITAL.

Note: (DO NOT MARK AN "X" IN MORE THAN ONE COLUMN FOR EACH PROCEDURE INDICATED)

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|--|---|-----------------|-----------------------|-------------|
| SPINA BIFIDA AND RELATED MALFORMATIONS | | | | |
| Myelomeningocele | | | | |
| Lipomyelomeningocele | | | | |
| Tethered cord | | | | |
| Diastatomyely | | | | |
| Other malformations and cysts | | | | |
| CRANIOTOMIES FOR CONGENITAL OR ACQUIRED CYSTS | | | | |
| Supratentorial location | | | | |
| Posterior fossa | | | | |
| LAMINECTOMIES FOR CONGENITAL OR ACQUIRED CYSTS | | | | |
| Spinal cysts all locations | | | | |
| INTRACEREBRAL HEMORRHAGES | | | | |
| Number of different underlying causes as: | | | | |
| Spontaneous | | | | |
| Hypertension | | | | |
| Ruptured cerebral Aneurysms | | | | |
| Ruptured Arteriovenous Malformation | | | | |
| Tumors | | | | |
| Coagulation or Platelets defects (natural or iatrogenic) | | | | |
| Other causes | | | | |
| Various Approaches of Supra and Infratentorial Craniotomies depending on the location and underlying cause | | | | |
| SPINAL HEMORRHAGES | | | | |
| Number of different underlying causes as: | | | | |
| Spontaneous | | | | |
| Complication to epidural catheterization | | | | |
| Ruptured arteriovenous malformation | | | | |
| Coagulation or platelets defects (natural or iatrogenic) | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Other causes | | | | |
| Cervical laminectomy, evacuation of hematoma and underlying cause | | | | |
| Thoracic laminectomy, evacuation of hematoma and underlying cause | | | | |
| Lumbar laminectomy, evacuation of hematoma and underlying cause | | | | |
| VASCULAR MALFORMATIONS Cavernous Malformations | | | | |
| Supratentorial various locations | | | | |
| Infratentorial various locations | | | | |
| Infratentorial (Brain stem) | | | | |
| Spinal Cord various locations | | | | |
| (Supratentorial Craniotomies for removal of cavernous malformations | | | | |
| Infratentorial Craniotomies for removal of cavernous malformations | | | | |
| Spinal Operations for removal of cavernous malformations | | | | |
| SURGERY FOR INTRACRANIAL INFECTIONS Includes a number of different approaches due to the location and the spread of the disease: | | | | |
| Pyogenic brain abscess | | | | |
| Osteomyelitis of the skull | | | | |
| Epidural abscess Subdural empyema | | | | |
| Tuberculous infections of the CNS | | | | |
| Fungal infections of the CNS | | | | |
| Different parasitic infestations of the CNS | | | | |
| Stereotactic Biopsy or Aspiration of Abscess | | | | |
| Neuronavigational Biopsy or Aspiration of Abscess | | | | |
| Postoperative infections | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|--|---|-----------------|-----------------------|-------------|
| | | | | |
| SURGERY FOR SPINAL INFECTIONS | | | | |
| Laminectomy for drainage of epidural abscess | | | | |
| Laminectomy for drainage of subdural abscess | | | | |
| Laminectomy for drainage of intramedullary abscess | | | | |
| Pyogenic vertebral osteomyelitis: | | | | |
| Anterior cervical decompression and fusion | | | | |
| Posterior cervical decompression and fusion | | | | |
| Fusion of thoracic spine | | | | |
| Fusion of lumbar spine | | | | |
| SURGERY FOR PENETRATING SPINAL INJURIES Decompressive and reconstructive surgery: | | | | |
| Without spinal instrumentation | | | | |
| Cervical | | | | |
| Thoracic | | | | |
| Lumbar | | | | |
| With spinal instrumentation | | | | |
| Cervical | | | | |
| Thoracic | | | | |
| Lumbar | | | | |
| SURGERY FOR RHEUMATOID CERVICAL SPINE | | | | |
| Transoral decompression | | | | |
| Posterior decompression | | | | |
| Posterior stabilization | | | | |
| TUMORS OF THE SPINAL CANAL AND THE SPINAL CORD | | | | |
| Laminectomy or laminotomy with removal of tumor | | | | |
| Nerve sheath tumors (schwannomas, neurofibromas, etc.) | | | | |
| Extramedullary tumors (meningiomas, etc.) | | | | |
| Cervical | | | | |
| Thoracic | | | | |
| Lumbar | | | | |
| Sacral | | | | |
| CRANIOCERVICAL DECOMPRESSION OR SPINAL DECOMPRESSION | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| For various diseases: achondroplasia, Arnold Chiari, etc. | | | | |
| OPERATIONS FOR TUMORS OF THE FORAMEN MAGNUM | | | | |
| Anterior approach | | | | |
| Posterior approach | | | | |
| MICROSURGERY FOR SYRINGOMYELIA | | | | |
| Primary spinal syringomyelia with shunt | | | | |
| Syringomyelia related to abnormalities of craniocervical junction | | | | |
| ANTERIOR CERVICAL DISCECTOMIES AND FUSION IN CERVICAL SPONDYLOSIS | | | | |
| With radiculopathy or myelopathy | | | | |
| Anterior discectomy | | | | |
| Anterior discectomy with bone graft | | | | |
| Anterior discectomy with plate fixation | | | | |
| POSTERIOR DECOMPRESSION FOR CERVICAL SPONDYLOTIC MYELOPATHY | | | | |
| INJURIES OF THE CERVICAL SPINE AND SPINAL CORD | | | | |
| Application of Halo vest | | | | |
| Traction Gardner-Wells tong and similar instruments | | | | |
| Occipitocervical dislocation (posterior fixation) | | | | |
| Surgical stabilization of Jefferson's fracture (C1) | | | | |
| C1-C2 arthrodesis | | | | |
| C1-C2 transarticular screws | | | | |
| Atlantoaxial instability (posterior C1-C2 or occipital C-2 wiring and fusion) | | | | |
| Odontoid fractures | | | | |
| Posterior C1-C2 fixation | | | | |
| Anterior odontoid screw | | | | |
| Posterior atlantoaxial facet screw fixation | | | | |
| C3-T1 fractures | | | | |
| Arthrodesis, posterior interspinal wiring | | | | |
| Anterior approaches(=/-bone graft) with plate fixation | | | | |
| THORACIC DISC HERNIATION | | | | |
| Laminectomy and foraminotomy | | | | |
| Transpedicular | | | | |
| Costotransversectomy | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Lateral extracavitary | | | | |
| Transthoracic | | | | |
| Transsternal (Th1-2 to Th3-4) | | | | |
| Endoscopic approach to remove thoracic disc herniation. | | | | |
| ANTEROLATERAL TECHNIQUES FOR STABILIZATION OF THE THORACIC SPINE | | | | |
| SURGERY OF PRIMARY AND METASTATIC TUMORS OF THE SPINE (including epidural tumor compression of cord) | | | | |
| Laminectomy, decompression without (major) fixation | | | | |
| Laminectomy, decompression with fixation | | | | |
| Anterior Approaches with or without fixation | | | | |
| Cervical | | | | |
| Thoracic | | | | |
| Lumbar | | | | |
| SURGICAL MANAGEMENT OF LUMBAR SPINAL STENOSIS | | | | |
| Complete laminectomy | | | | |
| Interlaminar decompression (fenestration) | | | | |
| LUMBAR DISC EXCISION | | | | |
| Microsurgical lumbar discectomy | | | | |
| SURGERY OF THE SYMPATHETIC NERVOUS SYSTEM | | | | |
| Posterior upper thoracic ganglionectomy (T2) | | | | |
| Thorascopic sympatectomy | | | | |
| OPERATIONS FOR MAJOR SKULL AND SCALP DEFECTS | | | | |
| Cranioplasty-acrylic | | | | |
| Cranioplasty using metal plates | | | | |
| Cranioplasty using bone | | | | |
| Cranial reconstruction using plates and screws | | | | |
| HEAD INJURIES OPEN AND CLOSED + SKULL FRACTURES Craniotomies for head injuries | | | | |
| Epidural hematoma | | | | |
| Subdural hematoma | | | | |
| Intracerebral bleedings/contusions | | | | |
| OPERATIONS OF SKULL FRACTURES open and closed | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|--|---|-----------------|-----------------------|-------------|
| RECONSTRUCTION OF COMPLICATED CRANIOFACIAL FRACTURES | | | | |
| Operations for penetrating injuries including missile injuries | | | | |
| Operations involving trauma of skull base, orbits and sinuses | | | | |
| Operations for CSF leaks | | | | |
| Operations for Chronic subdural hematoma (hygroma) | | | | |
| Craniectomies for brain swelling after trauma etc. | | | | |
| INSERTION OF ICP MONITORING DEVICES | | | | |
| Epidural | | | | |
| Intraparenchymatous | | | | |
| Intraventricular | | | | |
| OPERATIONS FOR CRANIOSYNOSTOSIS | | | | |
| Scaphocephaly | | | | |
| OPERATIONS FOR ENCEPHALOCELES all locations | | | | |
| ARACHNOID, SUPRASellar AND RATHKE'S CLEFT CYSTS | | | | |
| Transcranial operations | | | | |
| Transcranial operations with endoscopic assistance | | | | |
| Endoscopic operations | | | | |
| OTHER ENDOSCOPIC OPERATIONS | | | | |
| Chronic subdural hematomas | | | | |
| Intracranial hematomas | | | | |
| Intraventricular hematomas | | | | |
| ENDOSCOPIC ASSISTED MICROSURGERY | | | | |
| Various approaches supratentorial surgery | | | | |
| Posterior fossa surgery | | | | |
| OPERATIONS FOR HYDROCEPHALUS and Pseudotumor cerebri | | | | |
| Ventriculoperitoneal shunt | | | | |
| Ventriculoatrial shunt | | | | |
| Ventriculopleural shunt | | | | |
| Lumboperitoneal shunt | | | | |
| Other shunt operations | | | | |
| Revision of shunts | | | | |
| Endoscopic assisted shunt operations and revisions | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|--|---|-----------------|-----------------------|-------------|
| Endoscopic III-ventriculocisternostomy | | | | |
| CRANIOTOMIES FOR VARIOUS METASTATIC TUMORS | | | | |
| Supratentorial (all locations) | | | | |
| Posterior fossa (all locations) | | | | |
| SURGERY FOR MENINGIOMAS various approaches | | | | |
| Falx and parasagittal | | | | |
| Convexity | | | | |
| Tuberculum sella meningiomas | | | | |
| Sphenoid wing meningiomas | | | | |
| Olfactory groove meningiomas | | | | |
| CRANIOTOMIES FOR GLIOMAS (removal or biopsies) | | | | |
| Low grade gliomas | | | | |
| High grade gliomas | | | | |
| Oligodendrogliomas | | | | |
| Other gliomas | | | | |
| Supratentorial | | | | |
| Infratentorial (cerebellum) | | | | |
| CRANIOTOMIES FOR LATERAL AND III VENTRICULAR TUMORS | | | | |
| CEREBELLAR INFARCTIONS AND HEMORRHAGE | | | | |
| Decompression | | | | |
| Evacuation of hematoma | | | | |
| SURGERY FOR CEREBELLAR TUMORS | | | | |
| EXTRA-AXIAL tumors and lesions | | | | |
| Meningiomas | | | | |
| Schwannoma (nerve sheath tumors) | | | | |
| Other lesions | | | | |
| INTRA-AXIAL TUMORS | | | | |
| Glioma | | | | |
| Medulloblastoma | | | | |
| Hemangioblastoma | | | | |
| Midline post fossa craniectomy | | | | |
| Unilateral post fossa surgery | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Suboccipital craniotomy | | | | |
| SURGERY OF CEREBRAL ANEURYSMS Ruptured or unruptured Operations include clipping and various entrapments of aneurysms | | | | |
| <i>Aneurysms of the carotid circulation</i> | | | | |
| Posterior communicating | | | | |
| Anterior choroidal | | | | |
| Carotid bifurcation | | | | |
| Paraclinoid aneurysms | | | | |
| Ophthalmic artery | | | | |
| Anterior cerebral artery | | | | |
| Anterior communicating artery | | | | |
| Distal anterior cerebral artery aneurysms | | | | |
| Middle cerebral artery | | | | |
| Pterional approach | | | | |
| Subfrontal approach | | | | |
| Frontal interhemispheric approach | | | | |
| Various combinations and extentions of approaches | | | | |
| | | | | |
| INTRAOPERATIVE NERVE MONITORING | | | | |
| INTRAOPERATIVE ULTRASOUND | | | | |
| EXTERNAL VENTRICULAR DRAINAGE | | | | |
| TEMPORAL ARTERY BIOPSY | | | | |
| INSERTION OF CSF RESERVOIR | | | | |
| OPERATION OF SKULL BONE TUMOUR OR LESION | | | | |
| CRANIAL AND SPINAL DURAPLASTY USING AUTOLOG OR ARTIFICIAL MATERIAL | | | | |
| DECOMPRESSIVE CRANIECTOMIES FOR BRAIN SWELLING OF VARIOUS REASONS | | | | |
| OPERATIONS FOR ANEURYSM POST FOSSA Surgical procedures may include: | | | | |
| Surgical clipping | | | | |
| Wrapping | | | | |
| Trapping | | | | |
| Arterial Occlusion | | | | |
| Aneurysmorrhapy | | | | |
| Bypass Surgery | | | | |


| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Various combination of above | | | | |
| Pterional Approach for Basilar Top, Posterior Cerebral and Cerebelli Superior Artery Aneurysm | | | | |
| Temporal Approach for Basilar Top, Posterior Cerebral and Cerebelli Superior Artery Aneurysm | | | | |
| Combined approach as above | | | | |
| Suboccipital Approach for Lower Basilar Arterial Aneurysm | | | | |
| Far Lateral Approach for Lower Basilar Aneurysm | | | | |
| Combined Supra and Infratentorial Approaches for Posterior Fossa Aneurysms | | | | |
| Retrolabyrinthine trans sigmoid approach | | | | |
| | | | | |
| ENDOSCOPIC OPERATIONS FOR CONGENITAL OR ACQUIRED CYSTS | | | | |
| Supratentorial location | | | | |
| Infratentorial location (posterior fossa) | | | | |
| Spinal cysts | | | | |
| VASCULAR MALFORMATIONS Arteriovenous Malformations Great variation in size and location | | | | |
| Supratentorial Craniotomies for AVM | | | | |
| Infratentorial Craniotomies for AVM | | | | |
| Spinal Cord Operations for AVM | | | | |
| EPILEPSY SURGERY | | | | |
| Implantation of Vagus Nerve Stimulator | | | | |
| Diagnostic Implantation of Electrodes | | | | |
| Strip Electrodes | | | | |
| Grid Electrodes | | | | |
| Depth Electrodes | | | | |
| Foramen Ovale Electrodes | | | | |
| Operations for Mesial Temporal Sclerosis | | | | |
| Temporal Lobe Resection/Amygdalohippocampectomy | | | | |
| Lobar or Multilobar Resection for Epilepsy | | | | |
| Multiple Subpial Transection for Epilepsy | | | | |
| Callosotomy in Management of Epilepsy | | | | |
| Cerebral Hemispherectomy for Epilepsy | | | | |
| TREATMENT FOR TRIGEMINUS NEURALGIA | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Microvascular Trigeminal decompression | | | | |
| Percutaneous Trigeminal Rhizotomy (radiofrequency) | | | | |
| Percutaneous Trigeminal Compression | | | | |
| Retrogasserian Glycerol Rhizolysis | | | | |
| SURGERY FOR DYSKINESIAS (Stereotactic operations) | | | | |
| Pallidotomy | | | | |
| Thalamotomy | | | | |
| Implantation of Electrodes for Deep Brain Stimulation | | | | |
| Transplantations for Parkinson's disease | | | | |
| NEUROSURGERY FOR PERSISTENT PAIN | | | | |
| Peripheral Nerve Stimulation | | | | |
| Spinal Cord Stimulation | | | | |
| Deep Brain Stimulation | | | | |
| Implantation of Drug Delivery Systems | | | | |
| Dorsal Root Ganglionectomy | | | | |
| Cordotomy | | | | |
| Myelotomy | | | | |
| Thalamotomy | | | | |
| Radiofrequency Facet Denervation | | | | |
| SURGERY FOR PSYCHIATRIC ILLNESS | | | | |
| Cingulotomy | | | | |
| Other operations for mental illness | | | | |
| ARTERIOVENOUS MAFORMATIONS OF THE SPINAL CANAL AND THE SPINAL CORD | | | | |
| Laminectomy or laminotomy with removal of AVM | | | | |
| Cervical | | | | |
| Thoracal | | | | |
| Lumbar | | | | |
| SURGICAL MANAGEMENT OF LUMBAR SPINAL STENOSIS | | | | |
| Various forms of decompression and instrumental fusion | | | | |
| Posterior fixation and interbody fusion | | | | |
| Anterior interbody fusion | | | | |
| LUMBAR DISC EXCISION | | | | |
| Microendoscopic discectomy | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Percutaneous lumbar discectomy | | | | |
| SURGERY OF THE BRACHIAL PLEXUS | | | | |
| Traumatic lesions | | | | |
| Tumors of the brachial plexus | | | | |
| SURGERY FOR THORACIC OUTLET SYNDROME | | | | |
| SPINAL CORD STIMULATION | | | | |
| NEUROSURGICAL MANAGEMENT OF SPASTICITY | | | | |
| OPERATIONS FOR CRANIOSYNOSTOSIS | | | | |
| Brachycephaly | | | | |
| Plagiocephaly | | | | |
| Trigonocephaly | | | | |
| Pachycephalus | | | | |
| Oxycephaly | | | | |
| Operations for syndromal craniofacial malformations like Couzon's and Apert's syndromes | | | | |
| SURGICAL MANAGEMENT OF INTRAORBITAL TUMORS | | | | |
| Meningiomas | | | | |
| Optic Nerve tumors | | | | |
| Hemangiomas, etc. | | | | |
| Medial orbital transcranial operations | | | | |
| Superior orbital transcranial operations | | | | |
| Lateral orbital transcranial operations | | | | |
| Lateral orbital operations | | | | |
| | | | | |
| TRANSCRANIAL ORBITAL DECOMPRESSIVE OPERATIONS | | | | |
| TRANSBASAL APPROACH FOR TUMORS ANY SKULL BASE | | | | |
| ORBITOZYGOMATIC INFRATEMP APPROACH FOR PARASELLAR MENINGIOMAS | | | | |
| | | | | |
| SURGERY OF THE CAVERNOUS SINUS | | | | |
| Tumors | | | | |
| Aneurysms | | | | |
| A-V Fistulas | | | | |
| PITUITARY TUMORS | | | | |
| Transphenoidal approaches | | | | |
| Transphenoidal endoscopic | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| Transcranial removal | | | | |
| CRANIOPHARYNGIOMAS | | | | |
| Trasnsphenoid approach | | | | |
| Transcranial approach | | | | |
| ENDOSCOPIC NEUROSURGERY | | | | |
| Ventriculoscopy | | | | |
| III ventriculo-cisternostomy | | | | |
| Paraventricular, intraventricular cysts | | | | |
| Arachoid cysts: | | | | |
| Temporal | | | | |
| Sylvian fissure | | | | |
| Cerebellopontine angle | | | | |
| Other locations | | | | |
| Colloid cysts | | | | |
| Other cysts different locations | | | | |
| Intraventricular tumors | | | | |
| SPINAL ENDOSCOPY | | | | |
| Syringomyelia | | | | |
| Epiduroscopy | | | | |
| Thoracic spine endoscopy | | | | |
| Endoscopic lumbar discectomy | | | | |
| STEREOTACTIC OPERATIONS | | | | |
| Biopsies | | | | |
| Radiofrequency lesions | | | | |
| Implantation of electrodes | | | | |
| Other | | | | |
| CRANIOTOMIES FOR GLIOMAS (removal or biopsies) | | | | |
| Low grade gliomas | | | | |
| High grade gliomas | | | | |
| Oligodendrogliomas | | | | |
| Other gliomas | | | | |
| Diencephalic, optic and brain stem tumors | | | | |
| TRANSCALLOSAL APPROACH TO THE III VENTRICLE | | | | |
| Intraaxial tumors | | | | |
| Extra axial tumors | | | | |

| PROCEDURES | ESTIMATE # OF PROCEDURES DONE IN THE PAST 5 YEARS | SOLE MANAGEMENT | ONLY WITH SUPERVISION | ASSIST ONLY |
|---|---|-----------------|-----------------------|-------------|
| APPROACHES TO PINEAL REGION NEOPLASMS | | | | |
| Number of different approaches | | | | |
| SURGERY FOR LESIONS OF THE CLIVUS | | | | |
| Subfrontal transbasal | | | | |
| Transphenoidal | | | | |
| Transoral | | | | |
| SURGERY FOR PETROCLIVAL MENINGIOMAS | | | | |
| Petroclival | | | | |
| Anterior petrous | | | | |
| Posterior petrous | | | | |
| Jugular foramen | | | | |
| Foramen magnum | | | | |
| Supratentorial approaches | | | | |
| Infratentorial approaches | | | | |
| Combined approaches | | | | |
| TRANSTEMPORAL APPROACHES TO THE POSTERIOR FOSSA FOR VARIOUS PATHOLOGY | | | | |
| Middle fossa approach | | | | |
| Middle fossa transtentorial approach | | | | |
| Extended middle fossa approach | | | | |
| Translabyrinthine approach | | | | |
| Various combine approaches | | | | |
| SURGERY FOR CEREBELLAR TUMORS | | | | |
| Extra axial tumors and lesions | | | | |
| Schwannoma (nerve sheath tumors) | | | | |
| Extreme lateral post fossa approach | | | | |
| Combined supra and infratentorial approaches | | | | |
| | | | | |
| MICROVASCULAR DECOMPRESSION | | | | |
| Unilateral facial spasm N. Facialis | | | | |
| GLOMUS JUGULARE TUMORS | | | | |
| HYPOGLOSSAL FACIAL NERVE ANASTOMOSIS | | | | |
| ACCESSORY FACIAL NERVE ANASTOMOSIS | | | | |
| ADVANCED SKULL BONE TUMORS WITH AND WITHOUT EXTRACRANIAL FACIAL EXTENSIONS | | | | |
| TRANSNASAL REPAIR OF CRANIONASAL FISTULA | | | | |

 Please attach to this form the following document/s:
Evidence of level of training & expertise attained to carry out the requested procedures.

| |
|---|
| ADDITIONAL CLINICAL PRIVILEGES (Special Procedures) |
| (type detailed description) USE SEPARATE SHEET OF PAPER IF REQUIRED & ATTACH TO THIS SHEET |

IF AT ANY STAGE YOU WISH TO PERFORM ANY SURGICAL OR THERAPEUTIC PROCEDURE WHICH IS NOT LISTED IN THIS APPLICATION, YOU MUST REFER IT TO THE CREDENTIALS & APPOINTMENT COMMITTEE

SIGNATURES

MEDICAL STAFF NAME : _____ _____ DATE : _____
SIGNATURE

HEAD, DIVISION (IF ANY) _____ _____ DATE : _____
SIGNATURE

HEAD, DEPARTMENT : _____ _____ DATE ; _____
SIGNATURE

CHAIRMAN :
CREDENTIALS & APPOINTMENT
COMMITTEE _____ _____ DATE : _____
SIGNATURE

MEDICAL DIRECTOR : _____ _____ DATE : _____
SIGNATURE

HOSPITAL DIRECTOR/CEO : _____ _____ DATE : _____
SIGNATURE